



Republic of the Philippines
Department of Agriculture

SUGAR REGULATORY ADMINISTRATION


Sugar Center Bldg., North Avenue, Diliman, Quezon City, Philippines 1101

TIN 000-784-336

Website: <http://www.sra.gov.ph>

Email Address: srahead@sra.gov.ph

Tel No. (632) 8929-3633, (632) 3455-2135, (632) 3455-3376



SUPPLEMENTAL/BID BULLETIN NO. 1

Supply and Delivery of Twenty (20) sets Farm Implements 2022-SIDA-10

With reference to the Bidding Documents for the Supply and Delivery of Twenty (20) sets Farm Implements, posted at the PhilGEPS and SRA websites, this Supplemental/Bid Bulletin is being issued to clarify, amend, modify some items in the provisions of the Bidding Documents in response to the recommendations raised by prospective bidders, as follows:

Section III. Bid Data Sheet			
From		To	
5.3	For this purpose, contracts similar to the Project shall be: a. Agricultural Tractor Implements b. completed within five (5) years prior to the deadline for the submission and receipt of bids.	5.3	For this purpose, contracts similar to the Project shall be: a. All Agricultural Tractor Drawn Implements b. completed within five (5) years prior to the deadline for the submission and receipt of bids.
Section VII. Technical Specifications			
A.1	Disk Plow	A.1	Disk Plow
A.2	Brand new, imported and heavy duty, Category II, Adaptable for 90 Hp tractor, 3 bottoms-26" diameter, standard, heavy duty bearings, complete with scraper, parking stand, hitch pins and locks and pressure guide wheel	A.2	Brand new, imported and heavy duty, Category II, Adaptable for 90 Hp tractor, 3 bottoms-26" diameter, standard, heavy duty bearings, complete with scraper, parking stand, hitch pins and locks and pressure guide wheel Or Locally fabricated farm implements shall be allowed. For Disc Plow : 4 x 26 or 3 x 28 is allowed.
A.3	Disc Harrow-Trailing type	A.3	Disc Harrow-Trailing type
A.4	Brand new, imported and heavy duty, adaptable for 90 Hp tractor, 18-20 discs with 24 inches diameter, standard spools, heavy duty bearings, two gangs, notched front discs, plain rear discs complete with scraper, hydraulic jacks and hitch pin and lock.	A.4	Brand new, imported and heavy duty, adaptable for 90 Hp tractor, 18-20 discs with 24 inches diameter, standard spools, heavy duty bearings, two gangs, notched front discs, plain rear discs complete with scraper, hydraulic jacks and hitch pin and lock. Or Locally fabricated farm implements shall be allowed. Plain or notched front disc is allowed for the trailing harrow
A.5	Furrower	A.5	Furrower
A.6	Brand new, imported and heavy duty, Category II, adaptable for 90 Hp tractor, three detachable and adjustable shanks	A.6	Brand new, imported and heavy duty, Category II, adaptable for 90 Hp tractor, three detachable and adjustable shanks using



Management System
ISO 9001:2015



www.tuv.com
ID 9105085567

	using appropriate clamps, bolts and nuts, minimum furrow depth of 12 inches, complete with parking stand, hitch pins and locks.		appropriate clamps, bolts and nuts, minimum furrow depth of 12 inches, complete with parking stand, hitch pins and locks. Or Locally fabricated farm implements shall be allowed. Working depth for furrower is 12 inches minimum.
A.9	Farm Implements must have AMTEC Test Result provided by AMTEC to be submitted together with the bidding documents.	A.9	Farm Implements must have AMTEC Test Result provided by AMTEC to be submitted together with the bidding documents as part of the eligibility requirements.
A.12	Certificate of Conformity from BAFE	A.12	Certificate of Conformity from BAFE Or AMTEC test report.
A.15	The brand offered must be available and existing in the local market for the last 30 years	A.15	The brand offered must be available and existing in the local market for the last 30 years
A.18	Warranty Period/ Coverage of Warranty: Three (3) years on parts and services	A.18	Warranty Period/ Coverage of Warranty: Three (3) years on parts and services Request for warranty coverage shall be limited only to frames and frame gangs
A.21	Bidders are required to put tabs in all documents to be submitted with the same number as indicated in the Checklist of Technical and Financial Document, in order to facilitate efficiency in evaluating all the documents.	A.21	Bidders are required to put tabs with proper labeling in all documents to be submitted with the same number as indicated in the Checklist of Technical and Financial Document, in order to facilitate efficiency in evaluating all the documents.
Section VIII. Checklist of Technical and Financial Documents			
	<u>Financial Documents</u> (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.		<u>Financial Documents</u> (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation. As basis for the computation of the NFCC, the latest Audited Financial Statements (AFS) submitted to the BIR shall be attached.

CLARIFICATIONS ON PROSPECTIVE BIDDER'S QUERIES/RECOMMENDATIONS

BIDDER	SRA Specification	Recommendation	Reply
Filholland Corporation	Bid Data Sheet: ITB Clause 5.3 Contracts similar to the Project shall be: Agricultural Tractor Implements	To allow Agricultural Tractor with implements	Denied.
	A.1/A.2 For Disk Plow: Brand new, imported and heavy duty, Category II, Adaptable for 90 Hp tractor, 3 bottoms-26" diameter, standard, heavy duty bearings, complete with scraper, parking stand, hitch pins and locks and pressure guide wheel	To allow locally fabricated implements (not only imported disc plow, trailing harrow and furrower)	Granted. Locally fabricated farm implements shall be allowed.

	A.3/A.4 <i>For Disk Harrow-Trailing Type:</i> Brand new, imported and heavy duty, adaptable for 90 Hp tractor, 18-20 discs with 24 inches diameter, standard spools, heavy duty bearings, two gangs, notched front discs, plain rear discs complete with scraper, hydraulic jacks and hitch pin and lock	A.4 - To allow plain type or discs in front gang (not only notched front discs)	For Disc Plow: 4 x 26 or 3 x 28 is allowed. Plain or notched front disc is allowed for the trailing harrow.
	A.5/A.6 <i>For Furrower:</i> Brand new, imported and heavy duty, Category II, adaptable for 90 Hp tractor, three detachable and adjustable shanks using appropriate clamps, bolts and nuts, minimum furrow depth of 12 inches, complete with parking stand, hitch pins and locks		
All Certified Equipment Trading Corporation	A.3/A.4 <i>For Disk Harrow-Trailing Type:</i> Brand new, imported and heavy duty, adaptable for 90 Hp tractor, 18-20 discs with 24 inches diameter, standard spools, heavy duty bearings, two gangs, notched front discs, plain rear discs complete with scraper, hydraulic jacks and hitch pin and lock	A.3/A.4 To consider locally fabricated heavy duty, disc harrow - trailing type	Granted. Locally fabricated farm implements shall be allowed.
	A.5/A.6 <i>For Furrower:</i> Brand new, imported and heavy duty, Category II, adaptable for 90 Hp tractor, three detachable and adjustable shanks using appropriate clamps, bolts and nuts, minimum furrow depth of 12 inches, complete with parking stand, hitch pins and locks	A.5/A.6 To consider locally fabricated furrower and 10-12 inches average furrow depth	Granted. Locally fabricated farm implements shall be allowed. Denied. Working depth for furrower is 12 inches minimum.
	A.12 Certificate of Conformity from BAFE	A.12 To consider not to require Certificate of Conformity for furrower	AMTEC test report will suffice.
	A.15 The brand offered must be available and existing in the local market for the last 30 years	A.15 To omit	Granted.
	A.18 Warranty Period/ Coverage of Warranty: Three (3) years on parts and services	A.18 To consider and allow to cover only the major parts of the implements such as frames and frame gang	Granted. Request for warranty coverage shall be limited only to frames and frame gangs.
	P. I. Farm Products, Inc.	Bid Data Sheet: ITB Clause 5.3 Contracts similar to the Project shall be: Agricultural Tractor Implements	Requesting for the aggregated SLCC, Implements only
	A.9 Farm Implements must have AMTEC Test Result provided by	A.9 To retain the AMTEC Test Report as part of the eligibility	Granted.


	AMTEC to be submitted together with the bidding documents.	requirements for Trailing Disc Harrow	
Agricom Visayas, Inc.	A.2 <i>For Disk Plow:</i> Brand new, imported and heavy duty, Category II, Adaptable for 90 Hp tractor, 3 bottoms-26" diameter, standard, heavy duty bearings, complete with scraper, parking stand, hitch pins and locks and pressure guide wheel	A.1/A.2 To amend it to: Brand new, imported or locally fabricated and heavy duty, Category II, Adaptable for 90 Hp tractor, 3 bottoms-26" diameter, minimum, standard, heavy duty bearings, complete with scraper, parking stand, hitch pins and locks and pressure guide wheel <i>Reason: *locally fabricated - there is a growing number of locally fabricated implements that are far more suitable in Negros farms. Locally fabricated implements have also lower cost which gives the procuring entity an advantage *3 bottoms-26" diameter, minimum since most of the available disc plow in the market consist of more than the required specification by the agency</i>	Granted. Locally fabricated farm implements shall be allowed. For Disc Plow: 4 x 26 or 3 x 28 is allowed.
	A.4 <i>For Disk Harrow-Trailing Type:</i> Brand new, imported and heavy duty, adaptable for 90 Hp tractor, 18-20 discs with 24 inches diameter, standard spools, heavy duty bearings, two gangs, notched front discs, plain rear discs complete with scraper, hydraulic jacks and hitch pin and lock	A.4 To amend it to: Brand new, imported or locally fabricated and heavy duty, adaptable for 90 Hp tractor, 18-20 discs with 24 inches diameter, standard spools, heavy duty bearings, two gangs, notched front discs, plain rear discs or plain disc (front and rear) complete with scraper, hydraulic jacks and hitch pin and lock <i>Reason: *locally fabricated - there is a growing number of locally fabricated implements that are far more suitable in Negros farms. Locally fabricated implements have also lower cost which gives the procuring entity an advantage</i>	Granted. Locally fabricated farm implements shall be allowed.
	A.6 <i>For Furrower:</i> Brand new, imported and heavy duty, Category II, adaptable for 90 Hp tractor, three detachable and adjustable shanks using appropriate clamps, bolts and nuts, minimum furrow depth of 12 inches, complete with parking stand, hitch pins and locks	A.6 To amend it to: Brand new, imported or locally fabricated and heavy duty, Category II, adaptable for 90 Hp tractor, three detachable and adjustable shanks using appropriate clamps, bolts and nuts, minimum furrow depth of 12 inches, complete with parking stand, hitch pins and locks <i>Reason: *locally fabricated -</i>	Granted. Locally fabricated farm implements shall be allowed.

		<i>there is a growing number of locally fabricated implements that are far more suitable in Negros farms. Locally fabricated implements have also lower cost which gives the procuring entity an advantage</i>	
	A.12 Certificate of Conformity from BAFE	A.12 To be removed	AMTEC test report will suffice.
	A.15 The brand offered must be available and existing in the local market for the last 30 years	A.15 To be removed <i>Reason: This requirement is only applicable to the procurement of tractors and small engines</i>	Granted.
	Bid Data Sheet: ITB Clause 5.3 Contracts similar to the Project shall be: Agricultural Tractor Implements	SLCC: Agricultural Tractor Implements (Disk Plow, Trailing Harrow and Furrower)	Granted. All Agricultural Tractor Drawn Implements

The Supplemental/Bid Bulletin No. 1 shall form part of the Bidding Documents. Any provisions in the Bidding Documents inconsistent herewith is hereby amended, modified and superseded accordingly.

For the guidance and information of all concerned.

Issued this 4th day of October 2022.


ATTY. IGNACIO S. SANTILLANA
 Chairperson, Regional Bids and Awards Committee