



Republic of the Philippines
Department of Agriculture

SUGAR REGULATORY ADMINISTRATION

Sugar Center Bldg., North Avenue, Diliman, Quezon City, Philippines 1101
TIN 000-784-336
Website: <http://www.sra.gov.ph>
Email Address: srahead@sra.gov.ph
Tel No. (632) 8929-3633, (632) 3455-2135, (632) 3455-3376

SUGAR REGULATORY ADMINISTRATION

North Avenue., Diliman, Quezon City

BIDS AND AWARDS COMMITTEE

SUPPLEMENTAL BID BULLETIN NO. 1

This **Supplemental Bid Bulletin No. 1** dated **22 July 2024** is issued to inform the prospective bidders of the following amendments, modifications and clarifications on the items in the Philippine Bidding Documents (PBDs) for the **SUPPLY AND DELIVERY OF THIRTEEN (13) SETS OF BRAND-NEW FARM TRACTOR WITH IMPLEMENTS** as previously posted in the Philippine Government Electronic Procurement System (PhilGEPS) and the Sugar Regulatory Administration (SRA) website. This Supplemental Bid Bulletin shall form an integral part of the Bidding Documents.

ORIGINAL BID DOCUMENT	CLARIFICATIONS/CORRECTIONS /CHANGES
<p style="text-align: center;">INVITATION TO BID</p> <p style="text-align: center;">FOR THE SUPPLY AND DELIVERY OF THIRTEEN (13) SETS OF BRAND-NEW FARM TRACTOR WITH IMPLEMENTS</p> <p>1. The Sugar Regulatory Administration (SRA), through the 2024 SRA SIDA Budget intends to apply the sum of Forty-Four Million Seven Hundred Thousand Pesos (Php44,700,000.00) being the Approved Budget for the Contract (ABC) to payments under the Contract for the Supply and Delivery of Thirteen (13) Sets of Brand-New Farm Tractor with Implements. Bids received in excess of the ABC shall be automatically rejected at bid opening.</p>	<p style="text-align: center;">INVITATION TO BID</p> <p style="text-align: center;">FOR THE SUPPLY AND DELIVERY OF THIRTEEN (13) SETS OF BRAND-NEW FARM TRACTOR WITH IMPLEMENTS</p> <p>1. The Sugar Regulatory Administration (SRA), through the 2023 & 2024 SIDA GAA Budget intends to apply the sum of Forty-Four Million Seven Hundred Thousand Pesos (Php44,700,000.00) being the Approved Budget for the Contract (ABC) to payments under the Contract for the Supply and Delivery of Thirteen (13) Sets of Brand-New Farm Tractor with Implements. Bids received in excess of the ABC shall be automatically rejected at bid opening.</p>
<p style="text-align: center;"><i>Section II. Instructions to Bidders</i></p> <p>2. Funding Information</p> <p>2.1. The GOP through the source of funding as indicated below for CY 2024 SIDA in the amount of Forty-Four Million Seven Hundred Thousand Pesos (Php44,700,000.00).</p> <p>2.2 The source of funding is SIDA Fund.</p>	<p style="text-align: center;"><i>Section II. Instructions to Bidders</i></p> <p>2. Funding Information</p> <p>2.1. The GOP through the source of funding as indicated below for CY 2024 SIDA in the amount of Forty-Four Million Seven Hundred Thousand Pesos (Php44,700,000.00).</p> <p>2.2 The source of funding is 2023 & 2024 SIDA GAA Fund.</p>



**Section VII. Technical Specification
Technical Specifications**

SUPPLY AND DELIVERY OF THIRTEEN (13) SETS OF BRAND-NEW FARM TRACTOR WITH IMPLEMENTS

LOT NO. 1

A. SPECIFICATIONS OF A 4WD TRACTOR (85-95 Hp)

DESCRIPTION	DETAILS
Brand New, 4WD or MFWD, heavy duty	
Rated Engine Power (Hp)	85-95 inclusive of Turbo
Rated engine speed (rpm)	2100-2500
Number of cylinders	4-cylinder liquid cooled diesel engine
Steering Type	Power Steering
Aspiration	Turbo-charged with Intercooler
Fuel tank capacity	Not less than 90 Liters
Transmission (Synchromes or Synchronized)	Manufacturer's Design
Linkage Three-point hitch Linkage	CAT II
Lifting capacity @ 610mm from hitch	Not less than 2000 kg
PTO speed (rpm)	540 minimum
PTO power (Hp)	75 Hp minimum
Wheel base (mm)	2180-2450
ROPS w/ canopy	2-post tiltable or foldable ROPS

Note:

1. The supplier must have an owned and operated service-center w/in the island of delivery w/ at least 8 years of experience such brand being offered.
2. Tractor and engine must be manufactured by a single company or within the group of companies.
3. Tractor supplier should be the sole/authorized importer/distributor for the Philippine market.

B. SPECIFICATIONS OF A TRAILING DISC HARROW (compatible with 85-95 Hp Tractor)

DESCRIPTION	DETAILS
Brand New, Heavy duty, Imported or Fabricated with imported blades, CAT II	
Number of gangs	2
Number and type of disc	20 plain discs
Diameter of disc	60.96 cm (24 inches)
Main Frame (mm)	132 x 132 x 7 (square tubular frame) or equivalent
Distance between disc (standard)	228 mm (9 inches)
Gang axle or shaft	At least 2 inches
With dustproof and properly aligned ball bearings in each gang (8 bearing hubs)	
8-ply rating tires	2
With scraper, hydraulic jack, and complete with standard accessories	
Good metallurgy and workmanship	

C. SPECIFICATIONS OF A DISC PLOW (compatible with 85-95 Hp Tractor)

DESCRIPTION	DETAILS
Brand New, Imported or Fabricated, CAT II, Three-point hitched	
Number of Disc	Three-disc with 28 inches diameter
Main Frame	4" x 4" or equivalent

**Section VII. Technical Specification
Technical Specifications**

SUPPLY AND DELIVERY OF THIRTEEN (13) SETS OF BRAND-NEW FARM TRACTOR WITH IMPLEMENTS

LOT NO. 1

A. SPECIFICATIONS OF A 4WD TRACTOR (85-95 Hp)

DESCRIPTION	DETAILS
Brand New, 4WD or MFWD, heavy duty	
Rated Engine Power (Hp)	85-95 inclusive of Turbo
Rated engine speed (rpm)	<u>Manufacturer's standard/design</u>
Number of cylinders	4-cylinder liquid cooled diesel engine
Steering Type	<u>Power Steering/ fully hydrostatic</u>
Aspiration	<u>Turbo-charged with Intercooler / Turbo-charged</u>
Fuel tank capacity	<u>Not less than 75 Liters</u>
Transmission (Synchromes or Synchronized)	Manufacturer's Design
Linkage Three-point hitch Linkage	CAT II
Lifting capacity @ 610mm from hitch	Not less than 2000 kg
PTO speed (rpm)	540 minimum
PTO power (Hp)	<u>85% of the Rated Hp</u>
Wheel base (mm)	2180-2450
ROPS w/ canopy	2-post tiltable or foldable ROPS

Note:

1. The supplier must have an owned and operated service-center w/in the island of delivery w/ at least 8 years of experience such brand being offered.
2. Tractor and engine must be manufactured by a single company or within the group of companies.
3. Tractor supplier should be an authorized importer/distributor/dealer for the Philippine market.

B. SPECIFICATIONS OF A TRAILING DISC HARROW (compatible with 85-95 Hp Tractor)

DESCRIPTION	DETAILS
Brand New, Heavy duty, Imported or Fabricated with imported blades, CAT II	
Number of gangs	2
Number and type of disc	20 plain discs
Diameter of disc	60.96 cm (24 inches)
Main Frame (mm)	<u>100 x 100 x 6 mm (square tubular frame) or equivalent</u>
Distance between disc (standard)	<u>228 mm (9 inches) to 235 mm (9.25 inches)</u>
Gang axle or shaft	At least 2 inches
<u>With dustproof and properly aligned ball bearings in each gang (4 bearing hubs)</u>	
8-ply rating tires	2
With scraper, hydraulic jack, and complete with standard accessories	
Good metallurgy and workmanship	

C. SPECIFICATIONS OF A DISC PLOW (compatible with 85-95 Hp Tractor)

DESCRIPTION	DETAILS
Brand New, Imported or Fabricated, CAT II, Three-point hitched	
Number of Disc	Three-disc with 28 inches diameter
Main Frame	4" x 4" or equivalent



Complete with standard accessories

D. SPECIFICATIONS OF A 3-BOTTOM MOLDBOARD PLOW (compatible with 85-95 Hp Tractor)

DESCRIPTION	DETAILS
Brand New, three-bottom, CAT II, Three-point hitched	
Mainframe	4" x 4" or its equivalent
Depth of Cut	Not less than 18 inches
For Sugarcane Land Preparation	
Adjustable and Detachable Shanks	
Complete with Grubber Point, Parking Stand, Hitch Pins, and other standard accessories	

E. SPECIFICATIONS OF A FURROWER (compatible with 85-95 Hp Tractor)

DESCRIPTION	DETAILS
Brand New, Imported or Fabricated, CAT II, Three-point hitched	
Depth of Cut	Not less than 16 inches
Shanks	Three-bottom, adjustable and detachable shanks, applicable for 1.3 m-1.5m furrow distance
For Sugarcane Land Preparation	
Complete with standard accessories	

Note: Two (2) farm implements will be provided to the beneficiaries. (Pls. see attached list of beneficiaries with their requested implements)

LOT No.	TRACTOR	Implements	QTY	Place of Delivery
Lot 1	90 HP Tractor	Trailing Disc Harrow (All mentioned district)	5	1 Isabela 1 Tarlac 2 Bukidnon 1 Cotabato
		Single Bottom Moldboard Plow (2-Bukidnon)	2	
		Three Bottom Moldboard Plow (1-Tarlac)	1	
		Disc Plow (1 Isabela, 1 Cotabato)	2	

LOT NO. 2

A. SPECIFICATIONS OF A 4WD TRACTOR (85-95 Hp)

DESCRIPTION	DETAILS
Brand New, 4WD or MFWD, heavy duty	
Rated Engine Power (Hp)	85-95 inclusive of Turbo
Rated engine speed (rpm)	2100-2500
Number of cylinders	4-cylinder liquid cooled diesel engine
Steering Type	Power Steering
Aspiration	Turbo-charged with Intercooler
Fuel tank capacity	Not less than 90 Liters
Transmission (Synchromes or Synchronized)	Manufacturer's Design
Linkage Three-point hitch Linkage	CAT II
Lifting capacity @ 610mm from hitch	Not less than 2000 kg
PTO speed (rpm)	540 minimum
PTO power (Hp)	75 Hp minimum
Wheel base (mm)	2180-2450
ROPS w/ canopy	2-post tiltable or foldable ROPS

Complete with standard accessories

Depth of cut 12-14 inches

D. SPECIFICATIONS OF A 3-BOTTOM MOLDBOARD PLOW (compatible with 85-95 Hp Tractor)

DESCRIPTION	DETAILS
Brand New, three-bottom, CAT II, Three-point hitched	
Mainframe	4" x 4" or its equivalent
Depth of Cut	Not less than 18 inches
For Sugarcane Land Preparation	
Adjustable and Detachable Shanks	
Complete with Grubber Point, Parking Stand, Hitch Pins, and other standard accessories	

E. SINGLE BOTTOM MOULDBOARD (compatible with 85-95 Hp Tractor)

DESCRIPTION	DETAILS
Brand New, Imported or Fabricated, CAT II, Three-point hitched, customized	
Number of shanks	Single bottom with hard plastic sheets covering the wings or blade
Depth of cut	Not less than 18 inches
Main Frame	5" x 5" or equivalent
<ul style="list-style-type: none"> Complete with standard accessories like parking stand, hitch pins and etc. Since the implement is customized, AMTEC test result is not required. Two (2) years warranty period for all parts. 	

Note: Two (2) farm implements will be provided to the beneficiaries. (Pls. see attached list of beneficiaries with their requested implements)

LOT No.	TRACTOR	Implements	QTY	Place of Delivery
Lot 1	90 HP Tractor	Trailing Disc Harrow (All mentioned district)	5	1 Isabela 1 Tarlac 2 Bukidnon 1 Cotabato
		Single Bottom Moldboard Plow (2-Bukidnon)	2	
		Three Bottom Moldboard Plow (1-Tarlac)	1	
		Disc Plow (1 Isabela, 1 Cotabato)	2	

LOT NO. 2

A. SPECIFICATIONS OF A 4WD TRACTOR (85-95 Hp)

DESCRIPTION	DETAILS
Brand New, 4WD or MFWD, heavy duty	
Rated Engine Power (Hp)	85-95 inclusive of Turbo
Rated engine speed (rpm)	Manufacturer's standard/design
Number of cylinders	4-cylinder liquid cooled diesel engine
Steering Type	Power Steering/ fully hydrostatic
Aspiration	Turbo-charged with Intercooler / Turbo-charged
Fuel tank capacity	Not less than 75 Liters
Transmission (Synchromes or Synchronized)	Manufacturer's Design
Linkage Three-point hitch Linkage	CAT II
Lifting capacity @ 610mm from hitch	Not less than 2000 kg
PTO speed (rpm)	540 minimum
PTO power (Hp)	85% of the Rated Hp
Wheel base (mm)	2180-2450
ROPS w/ canopy	2-post tiltable or foldable ROPS



Note:

1. The supplier must have an owned and operated service-center w/in the island of delivery w/ at least 8 years of experience such brand being offered.
2. Tractor and engine must be manufactured by a single company or within the group of companies.
3. Tractor supplier should be the sole/authorized importer/distributor for the Philippine market.

**B. SPECIFICATIONS OF A TRAILING DISC HARROW
(compatible with 85-95 Hp Tractor)**

DESCRIPTION	DETAILS
Brand New, Heavy duty, Imported or Fabricated with imported blades, CAT II	
Number of gangs	2
Number and type of disc	20 plain discs
Diameter of disc	60.96 cm (24 inches)
Main Frame (mm)	132 x 132 x 7 (square tubular frame) or equivalent
Distance between disc (standard)	228 mm (9 inches)
Gang axle or shaft	At least 2 inches
With dustproof and properly aligned ball bearings in each gang (8 bearing hubs)	
8-ply rating tires	2
With scraper, hydraulic jack, and complete with standard accessories	
Good metallurgy and workmanship	

Note: One (1) farm implement will be provided to the beneficiaries. (Pls. see attached list of beneficiaries with their requested implements)

LOT No.	TRACTOR	Implements	QTY	Place of Delivery
LOT 2	90 HP Tractor	Trailing Disc Harrow	6	1 Pampanga 1 Tarlac 3 Bukidnon 1 Cotabato

Note:

1. The supplier must have an owned and operated service-center w/in the island of delivery w/ at least 8 years of experience such brand being offered.
2. Tractor and engine must be manufactured by a single company or within the group of companies.
3. **Tractor supplier should be an authorized importer/distributor/dealer for the Philippine market.**

**B. SPECIFICATIONS OF A TRAILING DISC HARROW
(compatible with 85-95 Hp Tractor)**

DESCRIPTION	DETAILS
Brand New, Heavy duty, Imported or Fabricated with imported blades, CAT II	
Number of gangs	2
Number and type of disc	20 plain discs
Diameter of disc	60.96 cm (24 inches)
Main Frame (mm)	100 x 100 x 6 mm (square tubular frame) or equivalent
Distance between disc (standard)	228 mm (9 inches) to 235 mm (9.25 inches)
Gang axle or shaft	At least 2 inches
With dustproof and properly aligned ball bearings in each gang (4 bearing hubs)	
8-ply rating tires	2
With scraper, hydraulic jack, and complete with standard accessories	
Good metallurgy and workmanship	

Note: One (1) farm implement will be provided to the beneficiaries. (Pls. see attached list of beneficiaries with their requested implements)

LOT No.	TRACTOR	Implements	QTY	Place of Delivery
LOT 2	90 HP Tractor	Trailing Disc Harrow	6	1 Pampanga 1 Tarlac 3 Bukidnon 1 Cotabato

LOT NO. 3

A. SPECIFICATIONS OF A 4WD TRACTOR (118-125 Hp)

DESCRIPTION	DETAILS
Brand New, 4WD or MFWD, heavy duty	
Rated Engine Power (Hp)	118-125
Number of cylinders	4 or 6
Aspiration	Turbo-charged
Fuel tank capacity	Not less than 150 Liters
Transmission	Side Shift
Lifting capacity @ 610mm from hitch	3250 kg, at hitch point, minimum
PTO speed (rpm)	540/1000
PTO power (Hp)	95-105
ROPS w/ canopy	2 or 4 post

Note:

1. The supplier must have an owned and operated service-center w/in the island of delivery w/ at least 8 years of experience such brand being offered.
2. Tractor and engine must be manufactured by a single company or within the group of companies.
3. Tractor supplier should be the sole/authorized importer/distributor for the Philippine market.

LOT NO. 3

A. SPECIFICATIONS OF A 4WD TRACTOR (118-125 Hp)

DESCRIPTION	DETAILS
Brand New, 4WD or MFWD, heavy duty	
Rated Engine Power (Hp)	118-125
Number of cylinders	4
Aspiration	Turbo-charged / Turbo-charge with intercooler
Fuel tank capacity	Not less than 150 Liters
Transmission	Manufacturer's standard
Lifting capacity @ 610mm from hitch	3250 kg, at hitch point, minimum
PTO speed (rpm)	540/1000
PTO power (Hp)	85% of the Rated Hp
ROPS w/ canopy	2 or 4 post

Note:

1. The supplier must have an owned and operated service-center w/in the island of delivery w/ at least 8 years of experience such brand being offered.
2. Tractor and engine must be manufactured by a single company or within the group of companies.
3. **Tractor supplier should be an authorized importer/distributor/dealer for the Philippine market.**



**A. SPECIFICATIONS OF A TRAILING DISC HARROW
(compatible with 118-125 Hp Tractor)**

DESCRIPTION	DETAILS
Brand New, Heavy duty, Imported or Fabricated with imported blades, CAT II	
Number of gangs	2
Number and type of disc	22 plain discs
Diameter of disc	60.96 cm (24 inches)
Main Frame (mm)	132 x 132 x 7 (square tubular frame) or equivalent
Distance between disc (standard)	228 mm (9 inches)
Gang axle or shaft	At least 2 inches
With dust proof and properly aligned ball bearings in each gang (8 bearing hubs)	
8-ply rating tires	2
With scraper, hydraulic jack and complete with standard accessories	
Good metallurgy and workmanship	

**B. SPECIFICATIONS OF A 3-BOTTOM MOLDBOARD PLOW
(compatible with 118-125 Hp Tractor)**

DESCRIPTION	DETAILS
Brand New, three-bottom, CAT II, Three-point hitched	
Mainframe	5" x 5" or its equivalent
Depth of Cut	Not less than 18 inches
For Sugarcane Land Preparation	
Adjustable and Detachable Shanks	
Complete with Grubber Point, Parking Stand, Hitch Pins, and other standard accessories	

C. SPECIFICATIONS OF A DISC PLOW (compatible with 118-125 Hp Tractor)

DESCRIPTION	DETAILS
Brand New, Imported or Fabricated, CAT II, Three-point hitched	
Number of Disc	Four-disc with 28" diameter
Main Frame	5" x 5" or equivalent
Complete with standard accessories	

Note: One (1) farm implement will be provided to the beneficiaries. (Pls. see attached list of beneficiaries with their requested implements)

LOT No.	TRACTOR	Implements	QTY	Place of Delivery
LOT 3	90 HP Tractor	Trailing Disc Harrow	2	1 Don Pedro 1 Balayan

General Note (for all Lots):

1. The following documents shall be submitted together with the bidding documents:

- NAMDAC Certification
- Permit to Operate
- AMTEC Test Report
- Warranty Certificate

**B. SPECIFICATIONS OF A TRAILING DISC HARROW
(compatible with 118-125 Hp Tractor)**

DESCRIPTION	DETAILS
Brand New, Heavy duty, Imported or Fabricated with imported blades, CAT II	
Number of gangs	2
Number and type of disc	22 plain discs
Diameter of disc	60.96 cm (24 inches)
Main Frame (mm)	132 x 132 x 7 (square tubular frame) or equivalent
Distance between disc (standard)	228 mm (9 inches)
Gang axle or shaft	At least 2 inches
With dust proof and properly aligned ball bearings in each gang (4 bearing hubs)	
8-ply rating tires	2
With scraper, hydraulic jack and complete with standard accessories	
Good metallurgy and workmanship	

Note: One (1) farm implement will be provided to the beneficiaries. (Pls. see attached list of beneficiaries with their requested implements)

LOT No.	TRACTOR	Implements	QTY	Place of Delivery
LOT 3	90 HP Tractor	Trailing Disc Harrow	2	1 Don Pedro, Batangas 1 Balayan, Batangas

General Note (for all Lots):

1. The following documents shall be submitted together with the bidding documents:

- NAMDAC Certification
- Permit to Operate
- **AMTEC Test Report (must be presented during opening of bids or Post Qualification Evaluation by the winning bidder)**
- Warranty Certificate

2. **Free filter and labor during first change oil.**

3. **Three (3) years warranty for non-consumable parts and services.**

Prepared by:

ATTY. JEANELLE Y. TAMORO-CRUZ
Head, BAC Secretariat

Approved by:

ATTY. RONALD E. RIMANDO
Chairperson, Bids and Awards Committee Management